

## Configuration

### bcmath

BCMath support	enabled
----------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

### bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bzip2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.6, 6-Sept-2010

### calendar

Calendar support	enabled
------------------	---------

### cgi-fcgi

php-fpm	active
---------	--------

Directive	Local Value	Master Value
cgi.discard_path	0	0
cgi.fix_pathinfo	1	1
cgi.force_redirect	1	1
cgi.nph	0	0
cgi.redirect_status_env	no value	no value
cgi.rfc2616_headers	0	0
fastcgi.error_header	no value	no value
fastcgi.logging	1	1
fpm.config	no value	no value

### Core

PHP Version	5.6.39-0+deb8u1
-------------	-----------------

Directive	Local Value	Master Value
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	0	0
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	no value	no value
auto_globals_jit	On	On
auto_prepend_file	no value	no value
browscap	no value	no value
default_charset	UTF-8	UTF-8
default_mimetype	text/html	text/html
disable_classes	no value	no value
disable_functions	pcntl_alarm,pcntl_fork,pcntl_waitpid,pcntl_wait,pcntl_wifex,pcntl_alarm,pcntl_fork,pcntl_waitpid,pcntl_wait,pcntl_wifex;	

display_errors	Off	Off
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	Off	Off
enable_post_data_reading	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	32767	22527
exit_on_timeout	Off	Off
expose_php	Off	Off
extension_dir	/usr/lib/php5/20131226	/usr/lib/php5/20131226
file_uploads	On	On
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	../usr/share/php:/usr/share/pear	../usr/share/php:/usr/share/pear
input_encoding	<i>no value</i>	<i>no value</i>
internal_encoding	<i>no value</i>	<i>no value</i>
log_errors	On	On
log_errors_max_len	1024	1024
mail.add_x_header	On	On
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	240	240
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	360	360
max_input_vars	20000	20000
memory_limit	1024M	1024M
output_buffering	4096	4096
output_encoding	<i>no value</i>	<i>no value</i>
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	896M	896M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
report_memleaks	On	On
report zend_debug	On	On
request_order	GP	GP
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	17	17
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
sys_temp_dir	<i>no value</i>	<i>no value</i>
track_errors	Off	Off

unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	1G	1G
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
zend.detect_unicode	On	On
zend.enable_gc	On	On
zend.multibyte	Off	Off
zend.script_encoding	<i>no value</i>	<i>no value</i>

ctype

ctype functions	enabled
-----------------	---------

curl

cURL support	enabled
cURL Information	7.38.0
Age	3
Features	
AsynchDNS	Yes
CharConv	No
Debug	No
GSS-Negotiate	No
IDN	Yes
IPv6	Yes
krb4	No
Largefile	Yes
libz	Yes
NTLM	Yes
NTLMWB	Yes
SPNEGO	Yes
SSL	Yes
SSPI	No
TLS-SRP	Yes
Protocols	dict, file, ftp, ftps, gopher, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtmp, rtsp, scp, sftp, smtp, smtps, telnet, tftp
Host	x86_64-pc-linux-gnu
SSL Version	OpenSSL/1.0.1t
ZLib Version	1.2.8
libSSH Version	libssh2/1.4.3

date

date/time support	enabled
"Olson" Timezone Database Version	0.system
Timezone Database	internal
Default timezone	Europe/Prague

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	Europe/Prague	Europe/Prague

dba

--

DBA support	enabled
libdb header version	Berkeley DB 5.3.28: (September 9, 2013)
libdb library version	Berkeley DB 5.3.28: (September 9, 2013)
Supported handlers	cdb cdb_make db4 inifile flatfile qdbm

Directive	Local Value	Master Value
dba.default_handler	flatfile	flatfile

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.9.1
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library	Bundled library enabled
---------------	-------------------------

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: cad29b729548e4206f0697710cc9e177f26fdff3 \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	no value	no value
exif.encode_unicode	ISO-8859-15	ISO-8859-15

fileinfo

fileinfo support	enabled
version	1.0.5
libmagic	517

filter

Input Validation and Filtering	enabled
Revision	\$Id: 5b79667bd9a68977a9b4f7505223a8e216e04908 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	no value	no value

ftp

FTP support	enabled
-------------	---------

gd

GD Support	enabled
GD headers Version	2.1.1-dev
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.5.2

GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.2.50
WBMP Support	enabled
XPM Support	enabled
libXpm Version	30411
XBM Support	enabled
WebP Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

gettext

GetText Support	enabled
-----------------	---------

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost gost-crypto adler32 crc32 crc32b fnv132 fnv1a32 fnv164 fnv1a64 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.19

Directive	Local Value	Master Value
iconv.input_encoding	no value	no value
iconv.internal_encoding	no value	no value
iconv.output_encoding	no value	no value

imagemagick

imagemagick module	enabled
imagemagick module version	3.2.0RC1
imagemagick classes	ImageMagick, ImageMagickDraw, ImageMagickPixel, ImageMagickPixelIterator
ImageMagick version	ImageMagick 6.8.9-9 Q16 x86_64 2018-11-11 http://www.imagemagick.org
ImageMagick copyright	Copyright (C) 1999-2014 ImageMagick Studio LLC
ImageMagick release date	2018-11-11
ImageMagick number of supported formats:	205
ImageMagick supported formats	3FR, AAI, AI, ART, ARW, AVI, AVS, BGR, BGRA, BIE, BMP, BMP2, BMP3, BRF, CAL, CALS, CANVAS, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR2, CRW, CUR, CUT, DCM, DCR, DCX, DDS, DFONT, DNG, DPX, DXT1, DXT5, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, EPT, EPT2, EPT3, ERF, FAX, FITS, FRACTAL, FTS, G3, GIF, GIF87, GRADIENT, GRAY, GROUP4, HALD, HDR, HISTOGRAM, HRZ, HTM, HTML, ICB, ICO, ICON, INFO, INLINE, IPL, ISOBRL, JBG, JBIG, JNG, JNX, JPEG, JPG, JSON, K25, KDC, LABEL, M2V, M4V, MAC, MAP, MASK, MAT, MATTE, MEF, MIFF, MNG, MONO, MOV, MP4, MPC, MPEG, MPG, MRW, MSL, MTV, MVG, NEF, NRW, NULL, ORF, OTB, OTF, PAL, PALM, PAM, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PDFa, PEF, PES, PFA, PFB, PFM, PGM, PICON, PICT, PIX, PJPEG, PLASMA, PNG, PNG00, PNG24, PNG32, PNG48, PNG64, PNG8, PNM, PPM, PREVIEW, PS, PS2, PS3, PSB, PSD, PTIF, PWP, RADIAL-GRADIENT, RAF, RAS, RAW, RGB, RGBA, RGBO, RGF, RLA, RLE, RMF, RW2, SCR, SCT, SFW, SGI, SHTML, SIX, SIXEL, SPARSE-COLOR, SR2, SRF, STEGANO, SUN, TEXT, TGA, THUMBNAIL, TIFF, TIFF64, TILE, TIM, TTC, TTF, TXT, UBRL, UIL, UYVY, VDA, VICAR, VID, VIFF, VIPS, VST, WBMP, WMV, WPG, X, X3F, XBM, XC, XCF, XPM, XPS, XV, XWD, YCbCr, YCbCrA, YUV

Directive	Local Value	Master Value
imagemagick.locale_fix	0	0
imagemagick.progress_monitor	0	0

json

json support	enabled
json version	1.3.6

JSON-C headers version	0.11.99
JSON-C library version	0.11.99

## Idap

LDAP Support	enabled
RCS Version	\$Id: 03ca03d3adee59787d58cd342d8f864c5d96252a \$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20440
SASL Support	Enabled

Directive	Local Value	Master Value
Idap.max_links	Unlimited	Unlimited

## libxml

libXML support	active
libXML Compiled Version	2.9.1
libXML Loaded Version	20901
libXML streams	enabled

## mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled
libmbfl version	1.3.2

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.
---

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	5.9.5

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	<i>no value</i>	<i>no value</i>
mbstring.http_output	<i>no value</i>	<i>no value</i>
mbstring.http_output_conv_mimetypes	^(text/application/xhtml\+xml)	^(text/application/xhtml\+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	uni	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

## memcached

memcached support	enabled
Version	2.2.0
libmemcached version	1.0.18
SASL support	yes
Session support	yes
igbinary support	no
json support	no
msgpack support	no

Directive	Local Value	Master Value
memcached.compression_factor	1.3	1.3
memcached.compression_threshold	2000	2000
memcached.compression_type	fastlz	fastlz
memcached.serializer	php	php

memcached.sess_binary	0	0
memcached.sess_connect_timeout	1000	1000
memcached.sess_consistent_hash	0	0
memcached.sess_lock_expire	0	0
memcached.sess_lock_max_wait	0	0
memcached.sess_lock_wait	150000	150000
memcached.sess_locking	1	1
memcached.sess_number_of_replicas	0	0
memcached.sess_prefix	memc.sess.key.	memc.sess.key.
memcached.sess_randomize_replica_read	0	0
memcached.sess_remove_failed	0	0
memcached.sess_sasl_password	<i>no value</i>	<i>no value</i>
memcached.sess_sasl_username	<i>no value</i>	<i>no value</i>
memcached.store_retry_count	2	2
memcached.use_sasl	0	0

mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.6.38
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/run/mysqld/mysqld.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib/x86_64-linux-gnu -lmysqlclient_r

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.connect_timeout	-1	-1
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	5.6.38
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0
Client API header version	5.5.62
MYSQLI_SOCKET	/var/run/mysqld/mysqld.sock

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>

mysqli.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off
mysqli.rollback_on_cached_plink	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.1t 3 May 2016
OpenSSL Header Version	OpenSSL 1.0.1t 3 May 2016
Openssl default config	/usr/lib/ssl/openssl.cnf

Directive	Local Value	Master Value
openssl.cafile	<i>no value</i>	<i>no value</i>
openssl.capath	<i>no value</i>	<i>no value</i>

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.35 2014-04-04

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql

pdo\_mysql

PDO Driver for MySQL	enabled
Client API version	5.6.38

Directive	Local Value	Master Value
pdo_mysql.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock

Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.2
Phar API version	1.1.1
SVN revision	\$Id: 47ff8cd790730dbc3520e47faa86327e2987a238 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	enabled
OpenSSL support	enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik. Phar fully realized by Gregory Beaver and Marcus Boerger. Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.
--

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

posix

--



Revision	\$Id: 5f4acc20904b1406142f2a0ede068db048c77e77 \$
----------	---

readline

Readline Support	enabled
Readline library	EditLine wrapper

Directive	Local Value	Master Value
cli.pager	<i>no value</i>	<i>no value</i>
cli.prompt	\b \>	\b \>

redis

Redis Support	enabled
Redis Version	2.2.5

Reflection

Reflection	enabled
Version	\$Id: 5f15287237d5f78d75b19c26915aa7bd83dee8b8 \$

session

Session Support	enabled
Registered save handlers	files user memcached redis
Registered serializer handlers	php_serialize php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.cache_expire	180	180
session.cache_limiter	<i>no value</i>	nocache
session.cookie_domain	.irozhlas.cz	<i>no value</i>
session.cookie_httponly	On	Off
session.cookie_lifetime	2000000	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	/dev/urandom	/dev/urandom
session.entropy_length	32	32
session.gc_divisor	100	1000
session.gc_maxlifetime	200000	1440
session.gc_probability	1	0
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	SESSe3299e549e5089db6c02948bd45ffad6	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	user	files
session.serialize_handler	php	php
session.upload_progress.cleanup	On	On
session.upload_progress.enabled	On	On
session.upload_progress.freq	1%	1%
session.upload_progress.min_freq	1	1
session.upload_progress.name	PHP_SESSION_UPLOAD_PROGRESS	PHP_SESSION_UPLOAD_PROGRESS
session.upload_progress.prefix	upload_progress_	upload_progress_
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_strict_mode	Off	Off
session.use_trans_sid	0	0

shmop

shmop support	enabled
---------------	---------

SimpleXML

Simplexml support	enabled
Revision	\$Id: d7077fc935154236afb4fe70814ba358efdbdca4 \$
Schema support	enabled

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
-----------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	no value	no value
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
from	no value	no value
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	no value	no value

sysvmsg

sysvmsg support	enabled
Revision	\$Id: 58590192720bc56939152fde3645d808b348bb9b \$

tokenizer

Tokenizer Support	enabled
-------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

--

XML Support	active
XML Namespace Support	active
libxml2 Version	2.9.1

xmlreader

XMLReader	enabled
-----------	---------

xmlwriter

XMLWriter	enabled
-----------	---------

Zend OPcache

Opcode Caching	Up and Running
Optimization	Enabled
Startup	OK
Shared memory model	mmap
Cache hits	226082165
Cache misses	7388
Used memory	226918816
Free memory	309952096
Wasted memory	0
Interned Strings Used memory	13297488
Interned Strings Free memory	3479728
Cached scripts	5581
Cached keys	6041
Max keys	16229
OOM restarts	0
Hash keys restarts	0
Manual restarts	0

Directive	Local Value	Master Value
opcache.blacklist_filename	no value	no value
opcache.consistency_checks	0	0
opcache.dups_fix	Off	Off
opcache.enable	On	On
opcache.enable_cli	Off	Off
opcache.enable_file_override	Off	Off
opcache.error_log	no value	no value
opcache.fast_shutdown	1	1
opcache.file_update_protection	2	2
opcache.force_restart_timeout	180	180
opcache.inherited_hack	On	On
opcache.interned_strings_buffer	16	16
opcache.load_comments	1	1
opcache.lockfile_path	/tmp	/tmp
opcache.log_verbosity_level	1	1
opcache.max_accelerated_files	12963	12963
opcache.max_file_size	0	0
opcache.max_wasted_percentage	5	5
opcache.memory_consumption	512	512
opcache.optimization_level	0x7FFFBFFF	0x7FFFBFFF
opcache.preferred_memory_model	no value	no value
opcache.protect_memory	0	0
opcache.restrict_api	no value	no value
opcache.revalidate_freq	300	300
opcache.revalidate_path	Off	Off
opcache.save_comments	1	1
opcache.use_cwd	On	On
opcache.validate_permission	Off	Off

opcache.validate_root	Off	Off
opcache.validate_timestamps	On	On

zip

Zip	enabled
Zip version	1.12.5
Libzip version	0.11.2

zlib

ZLib Support	enabled
Stream Wrapper	compress.zlib://
Stream Filter	zlib.inflate, zlib.deflate
Compiled Version	1.2.8
Linked Version	1.2.8

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	no value	no value

Additional Modules

Module Name
sysvsem
sysvshm

Environment

Variable	Value
USER	www-data